INDEX TO VOLUME 35

Abernathy diet, tests of three vitamin supplementation levels, 197-198.
Aeration, to increase winter oxygen levels, 82-84.
to reduce nitrogen supersaturation, 143-146.
Alchesay-Williams Creek National Fish Hatchery, synthetic polymers to reduce turbidity in water supply, 66-73.
Alewife, marking with biological stains, 90-93.
Algae, viability in digestive tracts of two cyprinodontids, 147.
ALLEN, KENNETH O.: Effect of overhead cover on growth and survival of channel catfish in circular tanks, 213.
Alosa pseudoharengus, 90-93.
Ammonia, toxicity levels of channel catfish, 221-224.
Anthelminthic treatment, tapeworm infections, 205-206.
Aqualoop production system, 222.
Aquarium, disposable, 182.
Aquatic plants, sampling fish in dense growth, 181.
ARKIN, G. F. (see KNEPP, G. L.), 221.
Artificial lures, fish bait preference, 201-211.

Baitfish, suitability of pumps for handling, 39-43.
Baits, effect on catch rates of five fishes from a California reservoir, 209-213.
BALAZS, GEORGE H.: A simplified method for identifying experimental shrimp, 27.
BALDWIN, WAYNE J.: Results of tests to investigate the suitability of fish pumps for moving live baitfishes, 39.
BAPTIST, GARRY (see SICK, LOWELL V.), 22.
BARNETT, BRIAN S.: A technique for fish population sampling in dense submersed vegetation, 181.
BARTOO, N. W., R. G. HANSEN, and R. S. WYDOSKI: A portable vertical gill-net system, 231.
Basins, in-channel sedimentation, 138-142.
Bass, largemouth, culture with channel catfish, 19-21; effect of fishing techniques on catch, 210-211; fungal gill disease, 74; nitrate tolerance, 223-224; predation on channel catfish, 173-175.
striped, closed system rearing, 199-201; effects of environment on survival, 157-160; fungal gill disease, 74; temperature acclimation rates, 214-217.
BAUR, RICHARD J. (see BUCK, D. HOMER), 19.
Benthos, table for washing samples, 26.
BEYERLE, GEORGE B., and JOHN E. WILLIAMS: Contribution of northern pike fingerlings raised in a managed marsh to the pike population of an adjacent lake, 99.
BIGGINS, RICHARD, and SCOTT CRESSEY: A technique for capturing trout with gill nets in deep streams, 106.
Blood, effects of reused water on, 6.
BLOOD, F. B. (see REED, J. R.), 60.
Bluegill, effect of fishing techniques on catch, 210.
sex reversal with methyltestosterone, 44-47.
BOWEN, J. T. (see BRUHN, DAVID S.), 119.
Branchiomycosis, identification, 74-77.
Branding, with hot and cold metal tools, 94-96.
BRIX, RICHARD (see WRIGHT, SAM), 154.
BRUHN, DAVID S., and J. T. BOWEN: Selection of rainbow trout broodstock, 1968, 119.
BRUSVEN, M. A.: A closed system plexiglas stream for studying insect-fish-substrate relationships, 87.
BUCHANAN, CHESTER C., and ARLO W. FAST: Effect of fishing techniques and baits on the catch rates of five fishes from a California reservoir, 209.
BUCK, D. HOMER, RICHARD J. BAUR, and C. RUSSELL ROSE: An experiment in the mixed culture of channel catfish and largemouth bass, 19.
Bullheads, effect of fishing techniques on catch, 210.

Cage, improved design for culturing catfish, 167.
Calanoid copepods, preserving with egg clutches intact, 242.
CARLSON, ANTHONY R., and JOHN G. HALE: Early maturation of brook trout in the laboratory, 150.
CASSELMAN, JOHN M., and HAROLD H. HARVEY: Fish traps of clear plastic, 218.
Catch rates, effect of fishing techniques and baits, 209-213.
Catfish, stocked in combination, 225-226.
blue, spawning in brackish water ponds, 164-166.
channel, ammonia toxicity levels and nitrate tolerance, 221-224; cage culture, 167-169; culture with largemouth bass, 19-21; digestion studies, 98; effect of fishing techniques on catch, 210-211; effect of overhead cover on growth and survival in circular tanks, 213; largemouth bass predation, 173-175; reevaluation of optimum protein requirements through phase feeding, 195-196; storing for greatest virus survival, 170-172; tracking with ultrasonic transmitter, 28-32; treatment of tapeworm infections, 205-206.
CCV, survival in chilled, frozen, and decomposing catfish, 170-172.
CHASE, DEAN L. (see OLSON, WAYNE H.), 66.
Chasmistes cujus, 61-63.
CHAVIN, WALTER: A reliable water temperature control apparatus for open freshwater systems, 202.
Chelonia mydas mydas, 239-240.
Chemical disbursement system, 59.
CHENOWETH, HARRY H. (see LARMOYEUX, JACK D.), 122.
Cherax tenuimanus, 107-109.
CHEW, LESLIE E., and JON G. STANLEY: The effects of methyltestosterone on sex reversal in bluegill, 44.
Chromic sesquioxide, an indicator in digestion studies, 97-98.
CLAYTON, JOHN G. (see SENN, HARRY G.), 132.
CONTRERAS, G. P. (see KOCH, D. L.), 61.
Corallobothrium fimbriatum, 205-206.
CRAWFORD, DAVID L., DUNCAN K. LAW, THOMAS B. MCKEE, and JOHN W. WESTGATE: Storage and nutritional characteristics of modified Oregon moist rations as an intermediate-moisture product, 33.
Crayfish, Australian, introduction into Louisiana, 107.
fish bait preference, 210-211.
CRESSEY, SCOTT (see BIGGINS, RICHARD), 106.
Cui-ui lakesucker, hatching technique, 61-63.
Culture, catfishes stocked in combination, 225-226.
channel catfish and largemouth bass combined, 19-21.
closed system rearing of striped bass, 199-201.
domestic muskellunge broodstock, 176-178.
effect of overhead cover on growth and survival in circular tanks, 213.
evaluation of circular tanks for salmonid production, 122-131.
in improved cage design, 167-169.
in low-cost heated raceway, 60.
use of softened water, 190.
Cyprinodontids, feeding behavior, 147-149.

Darter, separating eggs, 54.

INDEX TO VOLUME 35

Abernathy diet, tests of three vitamin supplementation levels, 197-198.
Aeration, to increase winter oxygen levels, 82-84.
to reduce nitrogen supersaturation, 143-146.
Alchesay-Williams Creek National Fish Hatchery, synthetic polymers to reduce turbidity in water supply, 66-73.
Alewife, marking with biological stains, 90-93.
Algae, viability in digestive tracts of two cyprinodontids, 147.
ALLEN, KENNETH O.: Effect of overhead cover on growth and survival of channel catfish in circular tanks, 213.
Alosa pseudoharengus, 90-93.
Ammonia, toxicity levels of channel catfish, 221-224.
Anthelminthic treatment, tapeworm infections, 205-206.
Aqualoop production system, 222.
Aquarium, disposable, 182.
Aquatic plants, sampling fish in dense growth, 181.
ARKIN, G. F. (see KNEPP, G. L.), 221.
Artificial lures, fish bait preference, 201-211.

Baitfish, suitability of pumps for handling, 39-43.
Baits, effect on catch rates of five fishes from a California reservoir, 209-213.
BALAZS, GEORGE H.: A simplified method for identifying experimental shrimp, 27.
BALDWIN, WAYNE J.: Results of tests to investigate the suitability of fish pumps for moving live baitfishes, 39.
BAPTIST, GARRY (see SICK, LOWELL V.), 22.
BARNETT, BRIAN S.: A technique for fish population sampling in dense submersed vegetation, 181.
BARTOO, N. W., R. G. HANSEN, and R. S. WYDOSKI: A portable vertical gill-net system, 231.
Basins, in-channel sedimentation, 138-142.
Bass, largemouth, culture with channel catfish, 19-21; effect of fishing techniques on catch, 210-211; fungal gill disease, 74; nitrate tolerance, 223-224; predation on channel catfish, 173-175.
striped, closed system rearing, 199-201; effects of environment on survival, 157-160; fungal gill disease, 74; temperature acclimation rates, 214-217.
BAUR, RICHARD J. (see BUCK, D. HOMER), 19.
Benthos, table for washing samples, 26.
BEYERLE, GEORGE B., and JOHN E. WILLIAMS: Contribution of northern pike fingerlings raised in a managed marsh to the pike population of an adjacent lake, 99.
BIGGINS, RICHARD, and SCOTT CRESSEY: A technique for capturing trout with gill nets in deep streams, 106.
Blood, effects of reused water on, 6.
BLOOD, F. B. (see REED, J. R.), 60.
Bluegill, effect of fishing techniques on catch, 210.
sex reversal with methyltestosterone, 44-47.
BOWEN, J. T. (see BRUHN, DAVID S.), 119.
Branchiomycosis, identification, 74-77.
Branding, with hot and cold metal tools, 94-96.
BRIX, RICHARD (see WRIGHT, SAM), 154.
BRUHN, DAVID S., and J. T. BOWEN: Selection of rainbow trout broodstock, 1968, 119.
BRUSVEN, M. A.: A closed system plexiglas stream for studying insect-fish-substrate relationships, 87.
BUCHANAN, CHESTER C., and ARLO W. FAST: Effect of fishing techniques and baits on the catch rates of five fishes from a California reservoir, 209.
BUCK, D. HOMER, RICHARD J. BAUR, and C. RUSSELL ROSE: An experiment in the mixed culture of channel catfish and largemouth bass, 19.
Bullheads, effect of fishing techniques on catch, 210.

Cage, improved design for culturing catfish, 167.
Calanoid copepods, preserving with egg clutches intact, 242.
CARLSON, ANTHONY R., and JOHN G. HALE: Early maturation of brook trout in the laboratory, 150.
CASSELMAN, JOHN M., and HAROLD H. HARVEY: Fish traps of clear plastic, 218.
Catch rates, effect of fishing techniques and baits, 209-213.
Catfish, stocked in combination, 225-226.
blue, spawning in brackish water ponds, 164-166.
channel, ammonia toxicity levels and nitrate tolerance, 221-224; cage culture, 167-169; culture with largemouth bass, 19-21; digestion studies, 98; effect of fishing techniques on catch, 210-211; effect of overhead cover on growth and survival in circular tanks, 213; largemouth bass predation, 173-175; reevaluation of optimum protein requirements through phase feeding, 195-196; storing for greatest virus survival, 170-172; tracking with ultrasonic transmitter, 28-32; treatment of tapeworm infections, 205-206.
CCV, survival in chilled, frozen, and decomposing catfish, 170-172.
CHASE, DEAN L. (see OLSON, WAYNE H.), 66.
Chasmistes cujus, 61-63.
CHAVIN, WALTER: A reliable water temperature control apparatus for open freshwater systems, 202.
Chelonia mydas mydas, 239-240.
Chemical disbursement system, 59.
CHENOWETH, HARRY H. (see LARMOYEUX, JACK D.), 122.
Cherax tenuimanus, 107-109.
CHEW, LESLIE E., and JON G. STANLEY: The effects of methyltestosterone on sex reversal in bluegill, 44.
Chromic sesquioxide, an indicator in digestion studies, 97-98.
CLAYTON, JOHN G. (see SENN, HARRY G.), 132.
CONTRERAS, G. P. (see KOCH, D. L.), 61.
Corallobothrium fimbriatum, 205-206.
CRAWFORD, DAVID L., DUNCAN K. LAW, THOMAS B. MCKEE, and JOHN W. WESTGATE: Storage and nutritional characteristics of modified Oregon moist rations as an intermediate-moisture product, 33.
Crayfish, Australian, introduction into Louisiana, 107.
fish bait preference, 210-211.
CRESSEY, SCOTT (see BIGGINS, RICHARD), 106.
Cui-ui lakesucker, hatching technique, 61-63.
Culture, catfishes stocked in combination, 225-226.
channel catfish and largemouth bass combined, 19-21.
closed system rearing of striped bass, 199-201.
domestic muskellunge broodstock, 176-178.
effect of overhead cover on growth and survival in circular tanks, 213.
evaluation of circular tanks for salmonid production, 122-131.
in improved cage design, 167-169.
in low-cost heated raceway, 60.
use of softened water, 190.
Cyprinodontids, feeding behavior, 147-149.

Darter, separating eggs, 54.

DAVIES, WILLIAM D.: Rates of temperature acclimation for hatchery reared striped bass fry and fingerlings, 214. The effects of total dissolved solids, temperature, and pH on the survival of immature striped bass: A response surface experiment, 157.
Degasser, to prevent supersaturation, 55-58.
DENNISON, BERNARD A., and MICHAEL J. MARCHYSHYN: A device for alleviating supersaturation of gases in hatchery water supplies, 55.
DEYOE, C. W. (see PAPPAS, C. J.), 97.
Diaptomus clavipes, preserving with egg clutches intact, 242.
Diet, Abernathy, tests, of three vitamin supplementation levels, 197-198.
containing methyltestosterone, 44.
effect on marking success, 52-54.
pelleted, effects of environmental factors on rate of ingestion, 22-26.
Digestion studies, using chromic sesquioxide as an indicator, 97-98.
Di-N-butyl tin oxide, treatment for tapeworm infections, 205-206.
Disease, gill rot, 74-77.
in circular tanks and ponds, 129.
nationwide survey of fish health problems and needs, 11-18.
DORFMAN, DONALD: Aberrant specimen of white perch (*Morone americana*), 175.
Dworshak National Fish Hatchery, water treatment facility, 143.
Dye, Bismark brown Y for marking alewife, 91.
fluorescent, tracking green turtles, 239-240.
neutral red for marking alewife, 91.
retention of fluorescent pigment after 2 years, 161-163.

Earthworms, fish bait preference, 210-211.
ECHELLE, ANTHONY A. (see RABE, JAMES R.), 147.
Eggs, cui-ui, hatching technique, 62-63.
incubating in Washington pond trays, 132-137.
separating circular batches, 54.
Electroshocker, effect on fertility, 191-194.
ENGEL, JAMES M.: Chemical disbursement system, 59.
Environment, evaluation based on relative growth rates of fishes, 85-86.
Esox lucius, 99-103.
masquinongy, 176-178.
Etheostoma, 54.
Eye abnormalities (exophthalmia), effect of water introduction method, 188-189.

FAST, ARLO W. (see BUCHANAN, CHESTER C.), 209.
Summertime artificial aeration increases winter oxygen levels in a Michigan lake, 82.
Feeding habits, Australian crayfish, 108.
Cyprinodontids, 147-149.
Feed, storage and nutritional characteristics of an intermediate-moisture product, 33-37.
Fish health, nationwide survey of problems and needs, 11-18.
Fish trap, clear plastic, 218-220.
nonbaited for shallow water, 237-238.
Fishing techniques, effect on catch rates of five fishes from a California reservoir, 209-213.
Flocculants, to reduce turbidity in a hatchery water supply, 66-73.
Fluorescent pigment, retention of marks after 2 years, 161-163.
Food conversion, mixed culture of channel catfish and largemouth bass, 21.
Formalin, factors influencing toxicity, 78-81.
FOWLER, L. G.: Tests of three vitamin supplementation levels in the Abernathy diet, 197.
FRAIDENBURG, MIKE (see WRIGHT, SAM), 154.
Fundulus zebrinus, 147-149.
Fungus control, in pond incubation trays, 136.

GALLAGHER, ROBERT M. (see WITHAM, ROSS), 239.
Gas bubble disease, 143-146.
GEHRS, CARL W.: Low temperature: A potential aid in analyzing the reproductive characteristics of calanoid copepod populations, 242.
GENGERKE, T. W., D. G. UNKENHOLZ, and J. G. NICKUM: A modification of Seaburg's stomach sampler, 142.
GIGER, RICHARD D.: A mechanized beach seine, 48.
Gill, disease, 74-77.
effects of polymer-treated water, 71.
lamellae, effects of reused water, 3.
nets, capturing trout in deep streams, 106; portable vertical system, 231-233.
Gillichthys mirabilis, 210-211.
Gold fish, nylon mats for spawning, 81.
GRAVEEN, WILLIAM J. (see PHILLIPS, RAYMOND A.), 176.
GRAVES, WILLIAM E., and JUDITH KOGEL: Effects of water volume and change of water on growth and survival of yellow perch, 115.
GREEN, O. L.: Comparison of production and survival of channel catfish stocked alone and in combination with blue and white catfish, 225.
Growth, effects of polymer-treated water, 72.
effects of reused water, 4.
effects of water introduction method, 188.
effects of water volume and change of water, 116.
marked and unmarked coho salmon, 229-230.
mixed culture of catfish and bass, 21.
polluted and unpolluted areas, 85-86.
GUNNING, GERALD E., and ANTHONY V. LANASA: Environmental evaluation based on relative growth rates of fishes, 85.

HALE, JOHN G. (see CARLSON, ANTHONY R.), 150.
HANSEN, EDWARD A.: In-channel sedimentation basins: A possible tool for trout habitat management, 138.
HANSEN, R. G. (see BARTOO, N. W.), 231.
HANSON, JAMES N. (see OLSON, WAYNE H.), 66.
Harvesting methods, effect on production of fingerling fathead minnows, 110-114.
HARVEY, HAROLD H. (see CASSELMAN, JOHN M.), 218.
HASTINGS, W. H.: Phase feeding for catfish, 195.
Hatchery, effects of water reuse on rainbow trout, 2-10.
supersaturation of gases in water supply, 55-58.
surface agitators to reduce nitrogen gas in water supply, 143-146.
synthetic polymers to reduce turbidity in water supply, 66-73.
HEDRICK, DALE G. (see POSTON, HUGH A.), 187.
HEIDINGER, ROY C. (see KRUMMRICH, JERRY T.), 173.
Hemlock Lake, artificial aeration in summer to increase winter oxygen levels, 82-84.
HESTER, F. EUGENE: Fish health: A nationwide survey of problems and needs, 11.
Holding box for captured fry in stream, 104-106.
HOLLINGER, MALCOLM L. (see WITHAM, ROSS), 239.
Humptulips River, observation and marking of juvenile chinook salmon, 154-156.

Iao, moving with pumps, 41.
Ictalurus, 210-211, 225-226.
furcatus, 164-169.
punctatus, 19-21, 28-32, 97-98, 164-175, 195-196, 205-206, 210-211, 213, 221-224, 225-226.
Incubation, disbursing chemicals to egg stacks, 59.
in Washington pond trays, 132-137.
under fluorescent lights, 179-180.
Ingestion, effect of environmental factors, 22-26.

JESSOP, B. M.: Marking alewife fry with biological stains, 90.
JONES, VIRGINIA L. (see PLUMB, JOHN A.), 170.

KELLEY, JOHN R., JR.: An improved cage design for use in culturing channel catfish, 167.
Killifish, plains, feeding behavior, 147-149.
KINNEY, EDWARD C.: Average or mean pH, 93.
KNEPP, G. L., and G. F. ARKIN: Ammonia toxicity levels and nitrate tolerance of channel catfish, 221.
KOCH, D. L., and G. P. CONTRERAS: Hatching technique for the cui-ui lakesucker, 61.
KOGEL, JUDITH H. (see GRAVES, WILLIAM E.), 115.
KRAMER, ROBERT H. (see MAYER, FOSTER L., JR.), 9.
KRUMMRICH, JERRY T., and ROY C. HEIDINGER: Vulnerability of channel catfish to largemouth bass predation, 173.

LANASA, ANTHONY V. (see GUNNING, GERALD E.), 85.
LARMOYEUX, JACK D., and ROBERT G. PIPER: Effects of water reuse on rainbow trout in hatcheries, 2.
LARMOYEUX, JACK D., ROBERT G. PIPER, and HARRY H. CHENOWETH: Evaluation of circular tanks for salmonid production, 122.
LARSON, GARY LEE: Liver weight of brook trout in a high-mountain lake in Washington State, 234.
LAW, DUNCAN K. (see CRAWFORD, DAVID L.), 33.
LAWLER, ADRIAN R.: A non-baited fish trap for shallow water, 237.
Lepomis macrochirus, 44-47, 210-211.
Light, early maturation of brook trout, 150.
fluorescent, effect on incubating embryos, 179-180.
intensity, ingestion rate of pelleted food, 24.
Liver, seasonal changes in weight, 234-236.
LIVINGSTON, DONALD L. (see POSTON, HUGH H.), 187.

Mackerel, cut, as bait, 210-211.
MARCHYSHYN, MICHAEL J. (see DENNISON, BERNARD A.), 55.
Marking, differences in survival and growth of marked and unmarked fish, 229-230.
large numbers of salmon to obtain life history information, 154-156.
pink shrimp by tail notching, 27.
rainbow trout fry with tetracycline, 52-54.
retention of fluorescent pigment after 2 years, 161-163.
salmon fry with hot and cold metal tools, 94-96.
with Bismark brown Y and neutral red, 90-93.
MARRIOTT, RICHARD A.: Effects of electric shocking on fertility of mature pink salmon, 191.
Marron, introduction into Louisiana, 107-109.
MATHEWS, STEPHEN B. (see PHINNEY, DUANE E.), 161.
Mats, spawning, 81.
MAYER, FOSTER L., JR., and ROBERT H. KRAMER: Effects of hatchery water reuse on rainbow trout metabolism, 9.
MCCRAREN, JOSEPH P. (see MILLARD, JACK L.), 190.
MCCRAREN, JOSEPH P., and ROY M. JONES: Evaluation of a new spawning material, 81.
MCCAULEY, R. W. (see WEIR, R. A.), 179.
MCKEE, THOMAS B. (see CRAWFORD, DAVID L.), 33.
MERCER, K. M., and H. P. MURPHY: A rapid technique for handling live adults of Atlantic salmon to collect biological data, 217.
MERRINER, J. V. (see RHODES, W.), 199.
Metabolism, effects of hatchery water reuse, 9-10.
Methyltestosterone, sex reversal, 44-47.
MEYER, FRED P.: Anthelminthic treatment of channel catfish for tapeworm infections, 205.
MEYER, FRED P., and JORDAN A. ROBINSON: Branchiomycosis: A new fungal disease of North American fishes, 74.
Micropterus salmoides, 19-21, 74-77, 173-175, 210-211, 223-224.
MILLARD, JACK L., and JOSEPH P. MCCRAREN: Use of softened water in fish culture, 190.
Minnow, fathead, effect of harvesting methods on production of fingerlings, 110-114.
separating eggs, 54.
Morone americana, 175.
saxatilis, 74, 157-160, 199-201, 214-217.
Mortality, electroshocking, 193.
hot and cold branding, 95.
pumping, 41.
stained alewife fry, 92.
water volume and change of water, 116.
Mudsuckers, fish bait preference, 210-211.
MURPHY, H. P. (see MERCER, K. M.), 217.
Muskellunge, developing a domestic broodstock, 176-178.
Myxosoma cerebralis, extracting spores, 227-228.

Nehu, moving with pumps, 41.
Net, gill, capturing trout in deep streams, 106.
sampling fish population in dense submersed vegetation, 181.
NICKUM, J. G. (see GENGERKE, T. W.), 142.
Nitrate tolerance of channel catfish, 221-224.
Nitrogen supersaturation, 143-146, 189.
Notropis venustus, 85-86.

OLSON, WAYNE H., DEAN L. CHASE, and JAMES N. HANSON: Preliminary studies using synthetic polymers to reduce turbidity in a hatchery water supply, 66.
Oncorhynchus, 94-96.
gorbuscha, 106, 191-194.
kisutch, 161-163, 229-230.
tshawytscha, 154-156.
Oregon moist pellet, shelflife and nutritional characteristics, 33-37.
Oxygen, consumption, interconversion units to measure, 207-208.
levels, increase by artificial aeration, 82-84.

PAPPAS, C. J., O. W. TIEMEIER, and C. W. DEYOE: Chromic sesquioxide as an indicator in digestion studies on channel catfish, 97.
PATTIE, JACK H. (see SENN, HARRY G.), 132.
Penaeus marginatus, 27.
setiferus, 22-26.
Perca fluviatilis, 115-117.
Perch, white, an aberrant specimen, 175.
yellow, effects of water volume and change of water on growth and survival, 115-117.
PERRY, W. GUTHRIE: Notes on the spawning of blue and channel catfish in brackish water ponds, 164.

pH, average or mean, 93.
Phase feeding catfish, 195-196.
PHILLIPS, RAYMOND A., and WILLIAM J. GRAVEEN: A domestic muskellunge broodstock, 176.
PHINNEY, DUANE E., and STEPHEN B. MATHEWS: Retention of fluorescent pigment by coho salmon after two years, 161.
PIERCE, ROBERT J., RONALD L. WILEY, and THOMAS E. WISSING: Interconversion of units in studies of the respiration of aquatic organisms, 207.
Pike, northern, contribution of fingerlings raised in a managed marsh to the pike population of an adjacent lake, 99-103.
Pimephales, 54.
promelas, 110-115.
PIPER, ROBERT G. (see LARMOYEUX, JACK D.), 2, 122.
PIPER, ROBERT G., and CHARLIE E. SMITH: Factors influencing formalin toxicity in trout, 78.
PLUMB, JOHN A., LLOYD D. WRIGHT, and VIRGINIA L. JONES: Survival of channel catfish virus in chilled, frozen, and decomposing channel catfish, 170.
Pollution, effect on growth rate, 85-86.
Polymers, synthetic, to reduce turbidity in a hatchery water supply, 66-73.
Ponds, circular, evaluation of salmonid production, 122-131.
Popeye, effect of water introduction method, 189.
PORTER, T. R.: Fry emergence trap and holding box, 104.
POSTON, HUGH A., DONALD LIVINGSTON, and DALE G. HEDRICK: Effect of method of introducing well water on the growth, body chemistry, and incidence of eye abnormalities of juvenile brown and rainbow trout, 187.
Pranesus insularum, 41.
Pratt Lake, Washington State, seasonal changes in liver weights of brook trout, 234-236.
Predation, vulnerability of channel catfish to largemouth bass, 173-175.
Procambarus, rearing with Australian crayfish, 108.
Production, catfish stocked in combinations, 225-226.
Protein, optimum requirements for catfish, 195-196.
Pumps, centrifugal and Morton, 41-42.
suitability for moving live baitfishes, 39-43.
Pupfish, Red River, feeding behavior, 147-149.

RABE, JAMES R., ANTHONY A. ECHELLE, and H. E. SCHLICHTING, JR.: Viability of algae in the digestive tracts of two cyprinodontids, 147.
Raceway, low-cost heated, 60.
RADES, DAVID L. (see ZANELLA, EUGENE F.), 182.
Recent articles on research of the Bureau of Sport Fisheries and Wildlife, 64, 166.
REED, J. R., F. B. BLOOD, and G. L. SAMSEL: A low-cost heated raceway for fish culture studies, 60.
Research, fish health activities nationwide, 16.
Respiration, measuring oxygen uptake of aquatic organisms, 207-208.
RHODES, W., and J. V. MERRINER: A preliminary report on closed system rearing of striped brass sac fry to fingerling size, 199.
RITTER, JOHN A.: Costs of tagging hatchery-reared Atlantic salmon smolts with modified Carlin-type tags, 118.
ROBINSON, JORDAN A. (see MEYER, FRED P.), 74.
ROSE, C. RUSSELL (see BUCK, D. HOMER), 19.

Salinity, effect on spawning catfish, 164.
Salmo clarki clarki, 48-51.
gairdneri, 2-10, 52-54, 105, 119-120, 187-190, 197-198, 227-228.
salar, 118-119, 217.
trutta, 187-190.
Salmon, incubating eggs and fry in Washington pond trays, 132; production in circular tanks, 122-131.
Atlantic, cost of tagging smolts with modified Carlin-type tags, 118-119; rapid technique for handling live adults to collect biological data, 217.
chinook, observation and marking of juveniles in the Humptulips River, Wash., 154-156.
coho, differences in survival and growth of marked and unmarked fish, 229-230; marking with fluorescent pigment, 161-163.
kokanee, trapping and holding fry, 106.
pink, effects of electroshocking on spawners, 191-194.
sockeye, hot and cold branding fry, 94-96.
Salvelinus fontinalis, 150, 234-236.
namaycush, 179-180.
Sampler, stomach, 142.
Sampling, fish population in dense submersed vegetation, 181.
SAMSEL, G. L. (see REED, J. R.), 60.
SAYLOR, MICHAEL L.: Effect of harvesting methods on production of fingerling fathead minnows, 110.
SCHLICHTING, H. E., JR. (see RABE, JAMES R.), 147.
Scomber japonicus, fish bait preference, 210-211.
Seaburg's stomach sampler, a modification, 142.
Sedimentation basins, in-channel, for trout habitat management, 138-142.
Seining, mechanized, 48-51.
SENN, HARRY G., JACK H. PATTIE, and JOHN G. CLAYTON: Washington pond trays as a method for incubating salmon eggs and fry, 132.
Sex reversal in bluegill, 44-47.
SHELTON, WILLIAM A.: A device to aid boat launching at primitive landings, 183.
Shiner, blacktail, growth rate in polluted and unpolluted areas, 85-86.
SHIREMAN, JEROME V.: Experimental introduction of the Australian crayfish (*Cherax tenuimanus*) into Louisiana, 107.
Shrimp, live, device for holding and measuring, 241.
pink, marked by tail notching, 27.
white, effect of environmental factors on rate of ingestion of pelleted diet, 22-26.
SICK, LOWELL V., DAVID WHITE, and GARRY BAPTIST: The effect of duration of feeding, amount of food, light intensity, and animal size on rate of ingestion of pelleted food by juvenile penaeid shrimp, 22.
SMITH, CHARLIE E. (see PIPER, ROBERT G.), 78.
SMITH, JIM ROSS: Branding chinook, coho, and sockeye salmon fry with hot and cold metal tools, 94.
Spawning, effects of electric shocking, 191-194.
in brackish water ponds, 164-166.
nylon brush mats, 81.
stimuli, 176-178.
Spore extraction technique, 227-228.
STANLEY, JON G. (see CHEW, LESLIE E.), 44.
STICKNEY, ROBERT R., and DANIEL PERLMUTTER: A table for rapid washing of benthos samples, 26.
Stolephorus purpureus, 41.
STOLTE, LAWRENCE W.: Differences in survival and growth of marked and unmarked coho salmon, 229.
Stomach sampler, 142.
Stream, closed system plexiglas, for studying insect-fish-substrate relationships, 87-89.
Supersaturation of gases in hatchery water supplies, 55-58.

Survey, fish health problems and needs nationwide, 11-18.

Tagging, cost of modified Carlin-type tags for hatchery-reared Atlantic salmon smolts, 118.
Tanks, circular, evaluation of salmonid production, 122-131.
Tapeworm infections, anthelminthic treatment, 205-206.
Temperature, acclimation rates for hatchery reared striped bass fry and fingerlings, 214-217.
control apparatus for open freshwater systems, 202-204.
early maturation of brook trout, 150-153.
Tetracycline, for marking fry, 52-54.
Tetramin, 200.
TIDD, WILBUR M., RICHARD A. TUBB and VIVIAN WRIGHT: Modification of *Myxosoma cerebralis* spore extraction technique, 227.
TIEMEIER, O. W. (see PAPPAS, C. J.), 97.
Tracking, green turtles with fluorescent dye, 239-240.
with ultrasonic transmitters, 28-32.
Trap, clear plastic, 218-220.
for emerging fry in streams, 104-106.
for trout in deep streams, 106.
nonbaited, for shallow water, 237-238.
TROJNAR, JOHN R.: Marking rainbow trout with tetracycline, 52.
Trout, capturing in deep streams, 106; habitat management in in-channel sedimentation basins, 138-142; toxicity of formalin, 79-81.
brook, early maturation in the laboratory, 150-153; seasonal changes in liver weights, 234-236.
brown, effect of water introduction method, 187-190.
cutthroat, capturing with mechanized beach seine, 48-51.
lake, incubation of embryos under fluorescent lights, 179-180.
rainbow, effect of hatchery water reuse on growth, mortality, physiology, and metabolism, 2-10; effect of water introduction method, 187-190; extracting *Myxosoma cerebralis* spores, 227-228; marking fry with tetracycline, 52-54; trapping and holding fry, 104-106; selective breeding, 119.
steelhead, fed supplemental vitamins, 197-198.
TUBB, RICHARD A. (see TIDD, WILBUR M.), 227.
Turbidity, reducing with synthetic polymers, 66-73.
Turtles, green, tracking with fluorescent dye, 239-240.

UNKENHOLZ, D. G. (see GENGERKE, T. W.), 142.

Virus, CCV, survival in chilled, frozen, and decomposing channel catfish, 170-172.

Washington pond trays, incubating salmon eggs and fry, 132-137.
Water supply, device for alleviating supersaturation of gases, 55-58.
effect of method of introducing well water on growth, body chemistry, and eye abnormalities, 187-190.
effect of reuse on trout metabolism, 9-10.
effect of volume and changing on growth and survival of yellow perch, 115-117.
reuse system in hatcheries, 2-8.
surface agitators to reduce nitrogen gas, 143-146.
temperature control apparatus for open freshwater systems, 202-204.
using synthetic polymers to reduce turbidity, 66-73.
water softener installed, 190.
WEIR, R. A., and R. W. MCCAULEY: Incubation of lake trout embroys under fluorescent lights, 179.
WESTGATE, JOHN W. (see CRAWFORD, DAVID L.), 33.
WHEELER, RAY S.: A shrimp measuring cell: A device for holding and measuring live shrimp, 241.
WHITE, DAVID (see SICK, LOWELL V.), 22.
WHITE, GEORGE E.: Some reproductive capabilities of the Texas golden green sunfish, 96.
WILEY, RONALD L. (see PIERCE, ROBERT J.), 207.
Winterkill, 82-84.
WISSING, THOMAS E. (see PIERCE, ROBERT J.), 207.
WITHAM, ROSS, ROBERT M. GALLAGHER, and MALCOLM L. HOLLINGER: Tracking green turtles with fluorescent dye, 239.
WOLD, EINAR: Surface agitators as a means to reduce nitrogen gas in a hatchery water supply, 143.
WRIGHT, LLOYD D. (see PLUMB, JOHN A.), 170.
WRIGHT, SAM, MIKE FRAIDENBURG, and RICHARD BRIX: Observation and marking of juvenile chinook salmon in the Humptulips River, Washington, 154.
WRIGHT, VIVIAN (see TIDD, WILBUR M.), 227.
WYDOSKI, R. S. (see BARTOO, N. W.), 231
ZANELLA, EUGENE F., and DAVID L. RADES: A disposable 20-liter aquarium with flow-through capabilities, 182.
ZIEBELL, CHARLES D.: Ultrasonic transmitters for tracking channel catfish, 28.